

Zastosowanie Inwentarza Sytuacji związanych z Piciem (IDS) oraz Kwestionariusza Radzenia sobie w Sytuacjach Ryzykownych (SCQ) w badaniach osób uzależnionych od alkoholu. Doniesienie wstępne

Applications of the Inventory of Drinking Situations (IDS) and the Situational Confidence Questionnaire (SCQ) for examination of alcohol dependent patients. Preliminary report

Jan Chodkiewicz¹, Marcin Ziółkowski², Damian Czarnecki², Anita Markowska², Beata Augustyńska², Krzysztof Opozda²

¹ Instytut Psychologii Uniwersytetu Łódzkiego, Zakład Psychologii Zdrowia

² Collegium Medicum im. Ludwika Rydygiera w Bydgoszczy UMK w Toruniu, Zakład Pielęgniarstwa Psychiatrycznego

Abstract – Introduction. The aim of this research was to evaluate results of the Situational Confidence Questionnaire (SCQ) and Inventory of Drinking Situations (IDS) among alcohol dependent males and to identify correlations between high risk situations for drinking and assessment of ability to cope with them and selected clinical data. Also, reliability measures for both questionnaires were calculated.

Method. 190 patients hospitalized because of alcohol addiction were examined. Social, demographic and clinical data were obtained by using IDS, SCQ and SADD (Short Alcohol Dependence Data Questionnaire).

Results. Both questionnaires show satisfactory reliability. Respondents most commonly were drinking alcohol last year due to social pressure and unpleasant emotions. Patients assess their ability to cope with high risk situations for drinking as most efficient when they feel physical discomfort and as least efficient in positive social situations and in situations when they can evaluate the possibility of controlled drinking. Most items of IDS and SCQ correlate significantly. More specifically, alcohol abuse in different situations is inversely related to the sense of coping effectively with the temptation or need to drink. Both the IDS and the SCQ questionnaires may find broad use in diagnosis and treatment of alcohol dependent patients.

Key words: alcohol dependency, high risk drinking situations, ability to cope effectively with high risk drinking situations

Streszczenie – Wstęp. Celem badań była ocena wyników badania Inwentarzem Sytuacji związanych z Piciem (Inventory of Drinking Situations – IDS) oraz Kwestionariuszem Radzenia sobie w Sytuacjach Ryzykownych (Situational Confidence Questionnaire – SCQ) osób uzależnionych od alkoholu, a także próba znalezienia związków między sytuacjami wysokiego ryzyka i oceną radzenia sobie w tych sytuacjach a wybranymi danymi klinicznymi. Obliczono również wskaźniki rzetelności obu narzędzi. **Metoda.** Badania przeprowadzono wśród 190 mężczyzn leczonych szpitalnie z powodu uzależnienia od alkoholu. Od pacjentów uzyskano informacje socjodemograficzne, przeprowadzono wywiad kliniczny oraz badanie przy użyciu IDS, SCQ oraz SADD (*Short Alcohol Dependence Data Questionnaire*).