

Oszacowanie liczby problemowych użytkowników opioidów w Polsce

Estimating the number of problem opioids users in Poland

Janusz Sierosławski

Instytut Psychiatrii i Neurologii,
Zakład Badań nad Alkoholizmem i Toksykomaniami, Warszawa

Abstract – Introduction. The aim of the study was to estimate the number of problem opioids users.

Methods. The estimation was performed using the benchmark method on the basis of treatment data and data on problem opioids users collected in a population survey.

Results. The number of problem opioids users in 2009 in Poland is estimated at 10 400–19 800 persons. This estimation is lower than the estimation for 2005, which was done using the same method. More than half of problematic opioids users are located in three regions: Mazowieckie, Śląskie and Dolnośląskie.

Conclusions. A comparison of the number of patients in substitution treatment with the estimated number of problem opioids users leads to the conclusion that substitution treatment needs are not satisfied, therefore the scaling-up of substitution treatment programmes is continues to be on the agenda.

Key words: problem opioids use, estimation, substitution treatment

Streszczenie – Wprowadzenie. Celem badania było dokonanie oszacowań liczby osób problemowo używających opioidów.

Metoda. Oszacowań dokonano metodą punktu referencyjnego (*benchmark method*) na podstawie danych statystycznych lecznictwa oraz informacji o problemowych użytkownikach opioidów, zebranych w badaniach ankietowych.

Wyniki. Liczbę problemowych użytkowników opioidów w naszym kraju w 2009 roku oszacowano na 10 400–19 800 osób. Oszacowanie to jest niższe niż uzyskane tą samą metodą cztery lata wcześniej. Ponad połowa problemowych użytkowników opioidów mieszka w trzech województwach: mazowieckim, śląskim i dolnośląskim.

Wnioski. Liczba pacjentów w leczeniu substytucyjnym – w zestawieniu z oszacowaną liczbą problemowych użytkowników opioidów – przekonuje, że daleko jeszcze do zaspokojenia potrzeb, konieczna wydaje się zatem dalsza rozbudowa oferty leczniczej w tym zakresie.

Słowa kluczowe: problemowe używanie opioidów, oszacowanie, leczenie substytucyjne.

Źródło finansowania pracy: środki statutowe IPiN oraz środki KBPN